

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	training adj sequence same control adj sequence and (@ad<"20010320" @rlad<"20010320")	US-PGPUB; USPAT	OR	ON	2007/05/25 08:15
L2	551	training same control and (@ad<"20010320" @rlad<"20010320") and (rf radio mobile wireless) same (tdm time adj division)	US-PGPUB; USPAT	OR	ON	2007/05/25 08:16
L3	312	training same control same sequence and (@ad<"20010320" @rlad<"20010320") and (rf radio mobile wireless) same (tdm time adj division)	US-PGPUB; USPAT	OR	ON	2007/05/25 08:17
L4	19	training same control same sequence same first same second and (@ad<"20010320" @rlad<"20010320") and (rf radio mobile wireless) same (tdm time adj division)	US-PGPUB; USPAT	OR	ON	2007/05/25 08:20
L6	1	training same control same sequence with after same first same second and (@ad<"20010320" @rlad<"20010320") and (rf radio mobile wireless) same (tdm time adj division)	US-PGPUB; USPAT	OR	ON	2007/05/25 08:28
L7	1	training same control same sequence with (before follow adjac\$4 next after) same first same second and (@ad<"20010320" @rlad<"20010320") and (rf radio mobile wireless) same (tdm time adj division)	US-PGPUB; USPAT	OR	ON	2007/05/25 08:23
L9	10	training same control same sequence with (data signal information) same first same second and (@ad<"20010320" @rlad<"20010320") and (rf radio mobile wireless) same (tdm time adj division)	US-PGPUB; USPAT	OR	ON	2007/05/25 08:30

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	133	(single one only a) adj domain and select\$4 with IP and (path route) with (link\$3 connect\$3) and (predetermin\$3 predefin\$3 preselect criteria) and (@ad<"20010328" @rlad<"20010328")	US-PGPUB; USPAT	OR	ON	2007/05/25 08:53
L2	115	(single one only a) adj domain and select\$4 with IP and (path route) with (link\$3 connect\$3) and (predetermin\$3 predefin\$3 preselect criteria) and (@ad<"20010328" @rlad<"20010328") and client with server	US-PGPUB; USPAT	OR	ON	2007/05/25 08:53
L3	4	(single one only a) adj domain and select\$4 with IP and (path route) with (link\$3 connect\$3) and (predetermin\$3 predefin\$3 preselect criteria) and (@ad<"20010328" @rlad<"20010328") and client near (Ip address) with server near (Ip address)	US-PGPUB; USPAT	OR	ON	2007/05/25 08:54